

ATEA
Architectural Lighting



### **NEO 360 D13 SKYLINE**

Flexible LED Light Tube, diameter 13mm, 360° output

### **CCT & luminous flux**

2300K	585	lm/n
2700K	670	lm/n
3000K	670	lm/n
4000K	670	lm/n






# 5000mm Lighting surface

## **NEO 360 D25 PIXEL**

Flexible RGB Pixel led Light Tube, diameter 25mm, 360° output

CCT & luminous flux RGBX 302 lm/n





## **NEO 360 D18**

Flexible LED Light Tube, diameter 18mm, 360° output

### CCT & luminous flux

2300K 700 lm/m 2700K 700 lm/m 3000K 800 lm/m 4000K 800 lm/m

2300K/4000K 375+3


 Red
 620/630 nm

 Green
 525/530 nm

 Blue
 465/470 nm

 Yellow
 587/592 nm

 RGB
 400 lm





## **NEO 360 D25**

Flexible LED Light Tube, diameter 25mm, 360° output

#### CCT & luminous flux

CC I & Idillini	ous nux
2300K	750 lm/m
2700K	950 lm/m
3000K	950 lm/m
4000K	950 lm/m
2300K/4000K	375+425 lm/m

 Green
 525/530 nm

 Blue
 465/470 nm

 RGB
 510 lm/m

RGBW 2300K W 460 lm/m RGBW 2700K W 550 lm/m RGBW 3200K W 570 lm/m RGBW 4500K W 570 lm/m





## NEO<sub>3D</sub>

Flexible Uniform LED light line bendable both sides

#### ССТ

1900K - 2300K - 2700K - 3000K - 4000K | R / G / B / Y

Luminous output & Beam angle

(@3000K) 450 lm & 120°





## **NEO SIDE**

Dot free flexible LED light line, side bend

2400K - 2700K - 3000K - 3500K - 4000K | DW 2400K/4000K RGB | RGBW | RGBX

> Luminous output & Beam angle (@4000K) 420 lm & 110°





## **NEO TOP**

Dot free flexible LED light line top bend

сст

2200K - 2700K - 3000K - 4000K - 5000K | DW 2700/5000K G / B | RGB | RGBW | RGBX

Luminous output & Beam angle

(@4000K) 760 lm & I I 0°






### **NEO WALL WASH**

3D LED light line, Wall washer, top bend, IP68

Luminous output & Beam angle (@3000K) 770 lm | 15°, 20°, 25°, 38°, 60°, 20° x 40°

ССТ

2200K - 2700K - 3000K - 3500K - 4000K - 4500K - 5000K - 6500K DW 2700-6000K | RGB | RGBW | Pixel RGBW (SPI UCS8904)





### **COBE HONEYCOMB**


Profile with honeycomb and optics


#### **Finishes**


Aluminium anodised silver Aluminium anodised black Painting RAL

### Cover & Optic

Frost 30°







## **STICK MINI**

Mini Round Profile

#### **Finishes**

Aluminium anodised silver Aluminium anodised black Painting RAL

### Cover & Optic

Opal Frost 30°





## **CAMPUS HIGH**

Profile with optic

### **Finishes**

Aluminium anodised silver Aluminium anodised black Painting RAL

### Optics


Opal Frost


Frost 15°

Frost 30° Frost 60°

High Opal

Aluminium cover





### **ROMULUS**

Profile with IP65 diffusor

### **Finishes**

Aluminium anodised silver Aluminium anodised black

### Cover & Optic

Opal Frost

Transparent 30° Night & Day







## **SAXO**

Profile with reflector

#### Finishes

Aluminium anodised silver Aluminium anodised black White ral9016 sat **Cover & Optic** Opal Frost





## **TRIO**

Corner profile with optics

#### **Finishes**

Aluminium anodised silver Aluminium anodised black Painting RAL

### Cover & Optic

Opal Opal 500kg Frost Frost 30°





## **BELINI**

Recessed profile with IP65 diffusor

#### **Finishes**

Aluminium anodised silver Aluminium anodised black

#### Cover & Optic

Opal Frost Opac grey







### **Type of led** Pure CRI99

UltraCRI
Dynamic White
Regular
RGB
RGB+W
RGB+2W
High Efficacy

## **ORION**

Opal Profile






### **STEP UP & STEP DOWN**

Stairway profile with cable duct

Type of led Ultra CRI99 Dynamic White Regular RGB RGB+W RGB+2W

**Finishes** Aluminium anodised silver Aluminium anodised black White ral9016 sat






### **TILES WHITE**

Tunable white tile 2700K & 6500K

Led Color	llw/s	heet (93w	r/m2)	
2700K 3000K 4000K 6500K	1012 1144	lm/sheet lm/sheet lm/sheet lm/sheet	8550 9660	Im/m2 Im/m2 Im/m2 Im/m2

Dynamic vvnite				
Led Color	22w/sheet	(186	w/m2)	
2700K only	1012 lm	8550	lm/m2	
6500K only	1078 lm	9100	lm/m2	
2700+6500K	2090 lm	17665	lm/m2	






## **TILES RGBW**

High performance Tiles RGBW

Led Color	Hw/sheet (93w/m2)	
Red Only	55 lm/sheet	465 lm/m2
Green Only	217 lm/sheet	1835 lm/m2
Blue Only	91 lm/sheet	770 lm/m2
White Only	248 lm/sheet	2095 lm/m2
RGBW	605 lm/sheet	5110 lm/m2





### **TILES RGBW PIXEL**

High performance Tiles RGBW

Luminous output 5060 lm/sheet







Atea Product Flipbook

visionz.ca

437-886-9837

projects@visionz.ca