



**#BRINGING**  
*Concepts*  
**TO LIGHT**




**VISIONZ**  
Millwork Catalogue









## 1100 SERIES KITS




This profile is the thinnest of the 1000 series being only 6mm thick and 18.7mm wide and is compatible with most of our LED strips. Perfect for tight spots, it will be very discreet and will stand out.






Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	



## 1200 SERIES KITS




The 1200 profile is designed to meet the daily needs of linear accent lighting. The 1200 profile offers a wide selection of lenses, light outputs, and color options to produce a uniform linear light housed within a channel of extruded aluminum. This compact profile is surface mounted into coves, behind floating walls and ceilings, under cabinets, and in many other indirect applications.








Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	



## 1300 SERIES KITS




The 1300 profile is designed for recessed linear lighting applications. The 1300 profile offers a wide selection of lenses, light outputs, and color options to produce a uniform linear light housed within a channel of extruded aluminum. The flanged edges of the extrusion add a decorative trim for a discreet and clean recessed appearance.








Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	

## 1400 SERIES KITS




The 1400 profile is designed to be sleek and versatile through its many permutations. The 1400 profile offers a wide selection of lenses, light outputs, and color options to produce a uniform linear light housed within a channel of extruded aluminum. With a wide range of installations, select from a minimalist pendant to a surface mounted channel, or to being recessed within a flangeless drywall system.






Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	



## 1500 SERIES KITS



The 1500 profile is designed for recessed linear lighting applications. The support rail accommodates type B joiners to connect multiple sections and to go around corners and from wall to ceiling. The 1500 profile offers a wide selection of lenses, light outputs, and color options to produce a uniform linear light housed within a channel of extruded aluminum. The flanged edges add a decorative trim and can be easily installed with a spring bracket.




Class II	
ELV	
25W	96W
50W	192W




\*Driver Sold Separately\*



## 1650 SERIES KITS



The 1650 profile is your best choice for product display. It offers lighting at a 30-degree angle, so you can cover all of the items on your shelves or racks and bring them centerstage. The smooth curved profile adds an extra accent in style. Use it with a clear lens to maximize the light output, or with an Optiflex or Opal lens for no hot spots from any angle\*.





Class II	
ELV	
25W	96W
50W	192W



\*Driver Sold Separately\*




## 1680 SERIES KITS







Here is an aluminum LED profile which is installed simply by sliding it over a standard 5/8" shelf. This snap on profile with a variety of lenses results in a very fast and easy installation. Shining light downward at a 35 degree angle, the objects under the shelf are beautifully illuminated.



## 1690 SERIES KITS




Great for under cabinet lighting. A rounded profile especially designed to conceal mounting hardware and wires, the 1690 can serve well for under cabinet lighting, or on any other surface as a mural fixture.








## 2000 SERIES KITS




The 2000 is designed to allow extra lighting angles. The profile can be installed to project at 30 or 60 degrees, two angles for lighting extra deep or high scenes, to bring out the finest details, without hot spots.




Class II	
ELV	
25W	96W
50W	192W




\*Driver Sold Separately\*



## 4100 SERIES KITS




A retail lighting solution for perfectly lit display cases. The compact 4100 profile helps you focus light where it is most needed. On the products! Ideal for highlighting jewelry cases and other prized possessions.




Class II	
ELV	
25W	96W
50W	192W

\*Driver Sold Separately\*







## 4200 SERIES KITS




Our range of ultra-compact profiles has been expanded! The 4200 profile provides accent lighting at an angle of 30° to highlight products on shelves or to cut out the underside of cabinets. A notch on the underside completely conceals the TR64 mounting wire, giving the luminaire an even more aesthetic look. Ideal for commercial or residential applications.







Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	



## 4400 SERIES KITS






One of the smallest on the market, guaranteed to be discreet! The 4400 profile is reduced to a minimum with its size of less than half an inch, while accepting a good range of LED strips1 . (1) Accepts LED strips up to 8mm wide..





Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	

## 5100 SERIES KITS





The 5100 consists of an aluminum heatsink base inserted into a flexible recessed lens with gripping sides. It allows for a very simple installation, with the assembly inserted into the recess and staying in place due to the gripping ribbed lens sides. The 5/8" wide and 3/8" deep recess is a direct fit for North American cabinetry, closet, or mural applications, besides being economical and providing lighting without hot spots.




Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	

## 5450 SERIES KITS




The 5450 is a compact recessed LED lighting profile for cabinetry and other wood furnishing projects, directing the light beam at a 25-degree angle from the normal, which allows you to light the cabinet contents from the edge.






Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	



## 5560 SERIES KITS




The 5560 profile allows integrating linear LED lighting on curved or uneven surfaces. Its low profile (1/5" including lens), and a thickness of less than 1/32" (0.75mm), allows for effortless bending and installation using plain mounting tape or screws. The opal lens will provide a diffused light effect without harsh dots.







Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	




## 7850 SERIES KITS



The 7850 profile is designed as an illuminated standard closet rod for an added layer of light within high-end closets and wardrobes. The 7850 series offers a wide selection of lenses, mountings, and LED options to produce a uniform linear light housed within a channel of extruded aluminum and finished with end caps..





Class II	
ELV	
25W	96W
50W	192W
*Driver Sold Separately*	



### Door Sensor

Cabinet and pantry lighting made easy and completely hands free with our Door Sensor, the smallest millwork sensor on the market.


**AKG-DOR**



### Slim Door Switch

Sensors that are easy to install and even easier to use! With the Slim Door Switch, switch the light on when you open a door and switch the light once it is shut.



**LM00002-82**



### Motion Detector

Turns on automatically when it detects your presence and regulates the amount of light in case of absence. Internal and external installation options available.

**LM16000-15**



### Proximity Sensor

Guide your way in the middle of the night without having to feel around for wall switches with our remote mounted Proximity sensor.


**AKG-PIR**



### Proximity Hand Motion Sensor

Activated by hands waving past the sensor, the LED lights will turn on automatically, when you wave again the lights turn off.

**LM00004-26**





### Phantom Switch

Turn on the light with a simple touch of your hand! Light will turn on automatically when it detects a touch over the hidden phantom switch.

**LM16000-50**






### 24V-25W ELV Driver LM42425-05

24V-25W | Dimmable ELV-MLV | Class 2.. Universal AC input 100-130VAC. Output constant voltage. Enclosed in a surface mountable DRBX junction box

### 24V-50W ELV Driver LM42450-05

T24V-50W | Dimmable ELV-MLV | Class 2. Constant voltage design (C.V. mode). Enclosed in a surface mountable certified DRBX junction box.

Call for other driver options



### Wire

20 Gauge	2 Conductor	FT-1 Rated	100ft	<b>AKG-WIRE-10AWG-FT1</b>
20 Gauge	2 Conductor	FT-4 Rated	100ft	<b>AKG-WIRE-10AWG-FT4</b>
18 Gauge	4 Conductor	FT-6 Rated	500ft	<b>AKG-TI5552-21-500FT</b>
16 Gauge	4 Conductor	FT-6 Rated	500ft	<b>AKG-TI5594-02-500FT</b>
14 Gauge	4 Conductor	FT-6 Rated	500ft	<b>AKG-TI5624-02-21-500FT</b>
14 Gauge	4 Conductor	FT-6 Rated	1000ft	<b>AKG-TI-5624-02-21-1000FT</b>



### Leader Wire Connector



Leader cable quick connection clip connecting clips to leader cables

**AKG-8MM-CON**


For all other profiles and equipment configurations, contact the Visionz sales team.  
**437-886-9837**



## PROXI



PROXI is the latest addition to Eklipse award winning small form linear LED family. PROXI was designed to offer outstanding light performance and distribution in an almost invisible millwork detail.



## ADENDA Family



### ADENDA Square



Today's reference in case lighting. PATENTED and designed to be the quietest light bridge in the world, ADENA SQUARE™ perfectly conceals its light and totally eliminates undesirable glare.

### ADENDA Round





Today's reference in case lighting. PATENTED and designed to be the quietest light bridge in the world, ADENA SQUARE™ perfectly conceals its light and totally eliminates undesirable glare.



# Specialty Fixtures





## NIXE Family



### NIXE FLEX




NIXE FLEX linear LED luminaire is one of the smallest on the market, measuring only 3/8 inch – barely the width of a fountain pen. This superior curvable linear LED bears the same light features and performances as its straight counterpart, NIXE.



### NIXE



NIXE linear LED luminaire is one of the smallest on the market, measuring only 3/8 inch – barely the width of a fountain pen. It integrates perfectly into its environment and its design, without any apparent trims or edges, makes it become almost invisible. This benefits aesthetic as well as functional values, keeping the surface even and diffusing light without interruption..



## SHOT LIGHT

JOKERLIGHT

A luminaire conceived to be a small and discreet point of light in the ceiling, that hides the light source to offer maximum visual comfort. Specifically designed with an anti-glare screen and a micro-reflector, SHOT LIGHT generates a perfectly defined light beam.







## FLEA ✨ intra lighting

The Flea, represent a low light level range that has many application possibilities, like a special atmosphere in wellness centers, accent on shelves, night illumination and many more.

They are small and this is precisely their biggest advantage.



## ATOS ✨ intra lighting

Atos is small but powerful. Due to its highly efficient reflector, it boasts impressive light quality, providing pleasant accent illumination with low glare. The spot is available in different colours and versions to easily fit into any space.

Dimension  
inch  
mm

D: 1 5/8"

D: 42

H: 2 1/16"

H: 52

Dimension  
inch  
mm

W: 1 1/4"

W: 32

W1: 1 15/16"


W1: 49

H: 3 1/16"





H: 77

H1: 4 5/8"

H1: 117



Coming Soon...



**MODULAR**  
LIGHTING —  
INSTRUMENTS





## Millwork Edition Catalogue

visionz.ca   437-886-9837   projects@visionz.ca